

ROOF DECK FIRE RESISTANCE RATINGS

RESTRAINED ASSEMBLY RATING	TYPE OF PROTECTION	CLASSIFIED DECK TYPE	U.L. DESIGN NUMBER	UN-RESTRAINED BEAM RATING
2	SPRAYED FIBER	F, B	P801	2
2		F, B	P811	2
2		F, B	P815	2
2	UNPROTECTED	SF, HF, EF, B	P902	2
2		SF, HF, EF, B	P907	2
2		SF, HF, EF, B	P908	2
2		SF, SVF, HF, HVF, EF, EVF, B, BV	P920	2
2		SF, SVF, HF, HVF, EF, EVF, B, BV	P921	2
2		SF, SVF, HF, HVF, EF, EVF, B, BV	P922	2
2		SF, SVF, HF, HVF, EF, EVF, B, BV	P923	2
2		SF, SVF, HF, HVF, EF, EVF, B, BV	P924	2
2		SF, SVF, HF, HVF, EF, EVF, B, BV	P925	2
3	METAL LATH	SF, HF, EF, B	P405	-
3	CEMENTITIOUS	F, B	P713	3
3		F, B	P719	3
3	SPRAYED FIBER	F, B	P811	3

NOTES: 1. Refer to the U.L. "Fire Resistance Directory" for the necessary construction details.
2. Deck finish to be galvanized

FACTORY MUTUAL APPROVED GAGE / SPAN TABLE (1.5" - Deep Roof Deck)

GAGE	TYPE	SPAN
22	B	6-0
20	B	6-6
18	B	7-5

Subject to the conditions of approval as steel roof deck when installed as described in the current edition of the FMRC Approval Guide.